

## CalB CA180 Charging at 1C

Voltage (V)	Current (mA)	Current Amps	Capacity Watts	Capacity (A/H)
2.65	180064.1	180.0641	0.00	0
3.057	180064.1	180.0641	12.22	3.999
3.184	180064.1	180.0641	25.47	7.998
3.266	180064.1	180.0641	39.18	11.997
3.321	180064.1	180.0641	53.12	15.996
3.344	180064.1	180.0641	66.87	19.996
3.355	180064.1	180.0641	80.50	23.995
3.365	180064.1	180.0641	94.20	27.994
3.376	180064.1	180.0641	108.01	31.994
3.387	180064.1	180.0641	121.91	35.993
3.397	180064.1	180.0641	135.85	39.992
3.407	180064.1	180.0641	149.88	43.991
3.414	180064.1	180.0641	163.84	47.991
3.421	180064.1	180.0641	177.86	51.99
3.426	180064.1	180.0641	191.82	55.989
3.429	180064.1	180.0641	205.70	59.988
3.432	180064.1	180.0641	219.61	63.988
3.433	180064.1	180.0641	233.40	67.987
3.436	180064.1	180.0641	247.34	71.986
3.437	180064.1	180.0641	261.16	75.985
3.439	180064.1	180.0641	275.07	79.985
3.442	180064.1	180.0641	289.07	83.984
3.444	180064.1	180.0641	303.01	87.983
3.445	180064.1	180.0641	316.88	91.983
3.447	180064.1	180.0641	330.85	95.982
3.449	180064.1	180.0641	344.83	99.981
3.451	180064.1	180.0641	358.84	103.981
3.453	180064.1	180.0641	372.85	107.98
3.455	180064.1	180.0641	386.89	111.979
3.457	180064.1	180.0641	400.94	115.978
3.457	180064.1	180.0641	409.58	118.478
3.458	180064.1	180.0641	416.61	120.478
3.46	180064.1	180.0641	423.77	122.477
3.461	180064.1	180.0641	430.81	124.477
3.462	180064.1	180.0641	437.86	126.477
3.463	180064.1	180.0641	444.91	128.476
3.464	180064.1	180.0641	451.97	130.476
3.465	180064.1	180.0641	459.03	132.476
3.466	180064.1	180.0641	466.09	134.475
3.468	180064.1	180.0641	473.30	136.475
3.469	180064.1	180.0641	480.37	138.475
3.471	180064.1	180.0641	487.59	140.474
3.473	180064.1	180.0641	494.81	142.474
3.474	180064.1	180.0641	501.90	144.473
3.476	180064.1	180.0641	509.14	146.473
3.478	180064.1	180.0641	516.39	148.473
3.48	180064.1	180.0641	523.64	150.472
3.482	180064.1	180.0641	530.91	152.472
3.485	180064.1	180.0641	538.33	154.472
3.488	180064.1	180.0641	545.77	156.471

3.491	180064.1	180.0641	553.22	158.471
3.494	180064.1	180.0641	560.69	160.471
3.498	180064.1	180.0641	568.32	162.47
3.503	180064.1	180.0641	576.14	164.47
3.509	180064.1	180.0641	584.14	166.47
3.516	180064.1	180.0641	592.34	168.469
3.525	180064.1	180.0641	600.90	170.469
3.537	180064.1	180.0641	610.02	172.468
3.556	180064.1	180.0641	620.41	174.468
3.585	180064.1	180.0641	632.64	176.468
3.642	180064.1	180.0641	649.98	178.467
3.65	180064.1	180.0641	657.20	180.056
3.65	131580.2	131.5802	660.75	181.028
3.65	96983.8	96.9838	662.92	181.622
3.65	76575.6	76.5756	664.36	182.016
3.65	62982	62.982	665.41	182.303
3.65	50113.7	50.1137	666.22	182.527
3.65	35724.8	35.7248	666.88	182.706
3.65	26070.6	26.0706	667.42	182.855
3.65	15567.8	15.5678	667.87	182.979
3.65	10784.5	10.7845	668.25	183.081